

| 静岡営業所 | | 2462回市 | | 平成28年3月17日 | |
|-------|-----|--------|-----|------------|---------|
| 極No. | 樹種 | 摘要 | 長さ | 径級 | 単価 |
| 1 | ヒノキ | | 4.0 | 44 | 150,000 |
| 2 | ヒノキ | | 4.0 | 44 | 128,600 |
| 3 | ヒノキ | | 4.0 | 42 | 86,000 |
| 4 | ヒノキ | | 4.0 | 38 | 57,600 |
| 5 | ヒノキ | | 4.0 | 38 | 65,000 |
| 6 | ヒノキ | | 4.0 | 36 | 25,000 |
| 7 | ヒノキ | | 4.0 | 34 | 28,600 |
| 8 | ヒノキ | | 4.0 | 24 ~ 28 | 30,390 |
| 9 | ヒノキ | | 4.0 | 32 | 30,390 |
| 10 | ヒノキ | | 4.0 | 30 | 30,390 |
| 11 | ヒノキ | | 4.0 | 32 | 30,390 |
| 12 | ヒノキ | | 4.0 | 32 | 30,390 |
| 13 | ヒノキ | | 4.0 | 30 | 30,390 |
| 14 | ヒノキ | | 4.0 | 30 | 30,390 |
| 15 | ヒノキ | | 4.0 | 32 | 18,000 |
| 16 | ヒノキ | | 4.0 | 26 ~ 28 | 30,390 |
| 17 | ヒノキ | | 4.0 | 28 | 30,390 |
| 18 | ヒノキ | | 3.0 | 28 | 17,600 |
| 19 | ヒノキ | | 4.0 | 34 | 25,000 |
| 20 | ヒノキ | | 4.0 | 26 | 35,390 |
| 21 | ヒノキ | | 4.0 | 24 ~ 26 | 30,390 |
| 22 | ヒノキ | | 4.0 | 28 | 30,390 |
| 23 | ヒノキ | | 4.0 | 28 | 30,390 |
| 24 | ヒノキ | | 4.0 | 32 | 20,000 |
| 25 | ヒノキ | | 4.0 | 30 | 18,200 |
| 26 | ヒノキ | | 4.0 | 30 | 21,700 |
| 27 | ヒノキ | | 4.0 | 32 | 37,000 |
| 28 | ヒノキ | | 4.0 | 28 | 28,600 |
| 29 | ヒノキ | | 4.0 | 30 | 21,800 |
| 30 | ヒノキ | | 4.0 | 30 | 35,390 |
| 31 | ヒノキ | | 4.0 | 32 | 30,390 |
| 32 | ヒノキ | | 4.0 | 24 ~ 26 | 50,830 |
| 33 | ヒノキ | | 4.0 | 24 ~ 26 | 50,830 |
| 34 | ヒノキ | | 4.0 | 30 | 40,830 |
| 35 | ヒノキ | | 4.0 | 30 | 55,000 |
| 36 | ヒノキ | | 4.0 | 30 | 40,830 |
| 37 | ヒノキ | | 4.0 | 30 | 60,000 |
| 38 | ヒノキ | | 4.0 | 36 | 86,700 |
| 39 | ヒノキ | | 4.0 | 26 ~ 28 | 35,390 |
| 40 | スギ | 認証材 | 4.0 | 42 | 16,600 |
| 41 | スギ | 認証材 | 4.0 | 52 | 16,600 |
| 42 | スギ | | 4.0 | 40 | 13,000 |
| 43 | スギ | | 4.0 | 42 | 16,500 |
| 44 | スギ | | 4.0 | 44 | 16,500 |
| 45 | スギ | | 4.0 | 44 | 9,000 |
| 46 | スギ | 認証材 | 4.0 | 32 | 15,000 |
| 47 | スギ | 認証材 | 4.0 | 40 | 13,000 |
| 48 | スギ | 認証材 | 4.0 | 34 | 10,000 |
| 49 | スギ | | 4.0 | 36 | 12,100 |
| 50 | スギ | | 4.0 | 42 | 9,000 |
| 51 | スギ | | 4.0 | 48 | 16,500 |
| 52 | スギ | | 4.0 | 30 ~ 32 | 15,000 |
| 53 | スギ | | 4.0 | 36 | 13,000 |
| 54 | スギ | | 4.0 | 36 | 12,100 |
| 55 | スギ | | 4.0 | 38 | 13,000 |
| 56 | スギ | | 4.0 | 34 | 16,620 |
| 57 | スギ | | 4.0 | 34 | 13,000 |
| 58 | スギ | 認証材 | 4.0 | 44 | 13,600 |
| 59 | スギ | 認証材 | 4.0 | 34 | 11,800 |
| 60 | スギ | 認証材 | 4.0 | 36 | 12,000 |

| 極No. | 樹種 | 摘要 | 長さ | 径級 | 単価 |
|------|-----|-----|-----|---------|--------|
| 61 | スギ | 認証材 | 4.0 | 38 | 17,420 |
| 62 | スギ | 認証材 | 4.0 | 38 | 12,000 |
| 63 | スギ | 認証材 | 4.0 | 32 | 14,000 |
| 64 | ヒノキ | | 4.0 | 26 | 33,400 |
| 65 | ヒノキ | | 4.0 | 34 | 33,400 |
| 66 | ヒノキ | | 4.0 | 32 | 21,300 |
| 67 | ヒノキ | | 4.0 | 32 | 21,600 |
| 68 | ヒノキ | 節 | 4.0 | 34 ~ 36 | 14,000 |
| 69 | ヒノキ | | 4.0 | 30 ~ 32 | 16,700 |
| 70 | ヒノキ | 節 | 4.0 | 30 ~ 32 | 13,000 |
| 71 | スギ | | 4.0 | 22 ~ 28 | 15,000 |
| 72 | ヒノキ | | 3.0 | 24 ~ 26 | 15,400 |
| 73 | ヒノキ | | 4.0 | 26 ~ 28 | 23,400 |
| 74 | ヒノキ | | 4.0 | 40 | 31,600 |
| 75 | ヒノキ | | 4.0 | 38 | 25,540 |
| 76 | ヒノキ | | 4.0 | 34 | 53,700 |
| 77 | ヒノキ | | 4.0 | 38 | 30,800 |
| 78 | ヒノキ | | 4.0 | 40 | 36,800 |
| 79 | ヒノキ | | 3.0 | 36 | 38,800 |
| 80 | ヒノキ | | 3.0 | 44 | 60,000 |
| 81 | ヒノキ | 節 | 4.0 | 24 ~ 28 | 12,300 |
| 82 | スギ | | 4.0 | 24 ~ 28 | 15,300 |
| 83 | スギ | | 4.0 | 24 ~ 28 | 16,100 |
| 84 | ヒノキ | | 3.0 | 24 ~ 28 | 14,340 |
| 85 | ヒノキ | | 3.0 | 30 | 18,600 |
| 86 | ヒノキ | | 4.0 | 24 ~ 26 | 35,390 |
| 87 | スギ | | 4.0 | 30 | 16,000 |
| 88 | スギ | | 4.0 | 30 | 15,000 |
| 89 | ヒノキ | | 4.0 | 32 | 25,000 |
| 90 | ヒノキ | | 4.0 | 30 | 14,000 |
| 91 | ヒノキ | | 4.0 | 24 ~ 28 | 14,200 |
| 92 | スギ | | 4.0 | 24 ~ 28 | 14,000 |
| 93 | スギ | | 4.0 | 30 ~ 32 | 14,000 |
| 94 | スギ | | 4.0 | 24 ~ 28 | 15,000 |
| 95 | スギ | | 4.0 | 30 ~ 32 | 15,000 |
| 96 | スギ | 認証材 | 4.0 | 24 ~ 26 | 14,000 |
| 97 | スギ | | 4.0 | 30 ~ 32 | 14,000 |
| 98 | スギ | | 4.0 | 30 ~ 34 | 15,000 |
| 99 | スギ | 認証材 | 3.0 | 36 | 13,800 |
| 100 | ヒノキ | | 2.0 | 42 | 36,700 |
| 101 | ヒノキ | | 4.0 | 36 | 27,100 |
| 102 | ヒノキ | | 4.0 | 40 | 30,000 |
| 103 | ヒノキ | | 4.0 | 34 ~ 36 | 19,000 |
| 104 | ヒノキ | | 4.0 | 26 ~ 28 | 18,700 |
| 105 | ヒノキ | | 4.0 | 30 | 18,000 |
| 106 | ヒノキ | 節 | 4.0 | 30 ~ 32 | 14,300 |
| 107 | ヒノキ | | 4.0 | 38 | 24,880 |
| 108 | ヒノキ | | 4.0 | 40 | 26,330 |
| 109 | ヒノキ | | 4.0 | 40 | 65,000 |
| 110 | ヒノキ | | 4.0 | 40 | 28,330 |
| 111 | ヒノキ | | 4.0 | 40 | 67,800 |
| 112 | ヒノキ | | 4.0 | 40 | 72,300 |
| 113 | ヒノキ | | 4.0 | 42 | 91,800 |
| 114 | スギ | | 5.0 | 38 | 18,960 |
| 115 | スギ | | 5.0 | 32 | 13,200 |
| 116 | スギ | | 5.0 | 34 | 12,200 |
| 117 | スギ | | 5.0 | 28 | 12,200 |
| 118 | スギ | | 6.0 | 44 | 23,600 |
| 119 | ヒノキ | | 6.0 | 28 | 18,000 |
| 120 | スギ | | 5.0 | 30 | 17,000 |

| 極No. | 樹種 | 摘要 | 長さ | 径級 | 単価 |
|------|-----|------|------|---------|--------|
| 121 | スギ | | 6.0 | 26 | 15,000 |
| 122 | スギ | | 6.0 | 28 | 15,000 |
| 123 | スギ | | 6.0 | 30 | 15,000 |
| 124 | スギ | | 6.0 | 32 | 9,000 |
| 125 | スギ | | 6.0 | 32 | 15,000 |
| 126 | スギ | 認証材 | 6.0 | 24 | 14,000 |
| 127 | ヒノキ | 認証材 | 6.0 | 24 | 18,000 |
| 128 | スギ | 認証材 | 6.0 | 28 | 15,000 |
| 129 | スギ | 認証割れ | 5.0 | 44 | 10,000 |
| 130 | スギ | 認証材 | 5.0 | 54 | 38,900 |
| 131 | スギ | 認証材 | 5.0 | 40 | 18,950 |
| 132 | スギ | | 6.0 | 44 | 18,000 |
| 133 | スギ | | 6.0 | 38 | 16,000 |
| 134 | ケヤキ | | 8.0 | 40 | 32,500 |
| 135 | ケヤキ | | 7.0 | 50 | 74,800 |
| 136 | ケヤキ | | 10.0 | 36 | 37,600 |
| 137 | ヒノキ | | 4.0 | 24 ~ 26 | 30,390 |
| 138 | ヒノキ | | 4.0 | 30 | 30,390 |
| 139 | ヒノキ | | 4.0 | 22 | 25,390 |
| 140 | ヒノキ | | 4.0 | 34 ~ 36 | 18,000 |
| 141 | ヒノキ | 節 | 4.0 | 30 ~ 32 | 13,000 |
| 142 | ヒノキ | | 4.0 | 24 ~ 28 | 14,100 |
| 143 | ヒノキ | | 4.0 | 24 ~ 28 | 14,200 |
| 144 | ヒノキ | | 4.0 | 24 ~ 28 | 15,400 |
| 145 | スギ | | 4.0 | 24 ~ 28 | 15,000 |
| 146 | スギ | | 4.0 | 32 | 15,000 |
| 147 | ヒノキ | | 4.0 | 30 ~ 32 | 14,000 |
| 148 | ヒノキ | | 4.0 | 32 | 20,000 |
| 149 | ヒノキ | | 3.0 | 30 | 16,100 |
| 150 | ヒノキ | | 4.0 | 34 | 18,300 |
| 151 | ヒノキ | | 4.0 | 26 | 30,390 |
| 152 | ヒノキ | | 4.0 | 30 | 18,600 |
| 153 | ヒノキ | | 4.0 | 30 | 30,390 |
| 154 | ヒノキ | | 4.0 | 30 | 30,390 |
| 155 | ヒノキ | | 4.0 | 20 ~ 22 | 25,830 |
| 156 | ヒノキ | | 4.0 | 24 ~ 28 | 17,100 |
| 157 | スギ | | 4.0 | 24 ~ 28 | 14,000 |
| 158 | スギ | | 4.0 | 58 | 25,000 |
| 159 | スギ | | 4.0 | 54 | 15,000 |
| 160 | スギ | | 4.0 | 48 | 9,000 |
| 161 | スギ | | 4.0 | 36 | 10,000 |
| 162 | スギ | | 4.0 | 36 | 10,000 |
| 163 | スギ | | 4.0 | 46 | 9,000 |
| 164 | スギ | | 4.0 | 38 | 9,000 |
| 165 | スギ | | 4.0 | 36 | 9,000 |
| 166 | スギ | | 4.0 | 34 | 14,240 |
| 167 | スギ | | 4.0 | 34 | 13,000 |
| 168 | スギ | | 4.0 | 36 | 13,000 |
| 169 | スギ | | 4.0 | 42 | 14,300 |
| 170 | スギ | 認証材 | 4.0 | 38 | 18,620 |
| 171 | スギ | | 4.0 | 42 | 9,000 |
| 172 | ヒノキ | | 4.0 | 34 | 0 |
| 173 | ヒノキ | | 4.0 | 34 ~ 36 | 0 |
| 174 | ヒノキ | | 4.0 | 26 ~ 28 | 0 |
| 175 | ヒノキ | | 4.0 | 30 ~ 32 | 18,000 |
| 176 | ヒノキ | | 4.0 | 30 | 20,000 |
| 177 | ヒノキ | | 4.0 | 32 | 20,000 |
| 178 | ヒノキ | | 4.0 | 34 | 18,300 |
| 179 | ヒノキ | | 4.0 | 36 | 0 |
| 180 | ヒノキ | | 3.0 | 34 | 27,130 |

| 桧No. | 樹種 | 摘要 | 長さ | 径級 | 単価 |
|------|-----|-----|-----|---------|--------|
| 181 | ヒノキ | | 3.0 | 24 | 16,400 |
| 182 | ヒノキ | | 4.0 | 38 | 40,600 |
| 183 | ヒノキ | | 4.0 | 38 | 22,000 |
| 184 | ヒノキ | | 4.0 | 34 | 20,000 |
| 185 | ヒノキ | | 4.0 | 30 | 14,000 |
| 186 | ヒノキ | 節 | 4.0 | 30 | 10,000 |
| 187 | ヒノキ | 節 | 4.0 | 24 ~ 26 | 10,000 |
| 188 | ヒノキ | | 4.0 | 34 ~ 36 | 23,950 |
| 189 | ヒノキ | | 3.0 | 36 | 20,330 |
| 190 | ヒノキ | | 4.0 | 26 ~ 28 | 30,390 |
| 191 | ヒノキ | | 4.0 | 24 ~ 26 | 20,400 |
| 192 | ヒノキ | | 4.0 | 24 ~ 28 | 14,100 |
| 193 | ヒノキ | 傷 | 3.0 | 34 | 15,000 |
| 194 | ヒノキ | | 4.0 | 36 | 30,300 |
| 195 | ヒノキ | | 4.0 | 32 | 25,000 |
| 196 | ヒノキ | | 4.0 | 30 ~ 32 | 25,000 |
| 197 | ヒノキ | | 4.0 | 22 ~ 28 | 30,390 |
| 198 | ヒノキ | | 4.0 | 24 ~ 26 | 30,390 |
| 199 | ヒノキ | 認証材 | 3.0 | 32 | 18,800 |
| 200 | ヒノキ | | 4.0 | 24 ~ 26 | 30,390 |
| 201 | ヒノキ | シミ | 4.0 | 28 | 23,400 |
| 202 | ヒノキ | | 4.0 | 24 ~ 28 | 17,100 |
| 203 | ヒノキ | | 4.0 | 24 ~ 28 | 14,000 |
| 204 | スギ | 認証材 | 3.0 | 44 | 23,200 |
| 205 | スギ | 認証材 | 3.0 | 36 | 15,100 |
| 206 | ヒノキ | | 4.0 | 24 ~ 26 | 14,300 |
| 207 | ヒノキ | | 4.0 | 24 | 14,300 |
| 208 | ヒノキ | | 3.0 | 30 | 13,100 |
| 209 | ヒノキ | | 3.0 | 26 ~ 30 | 18,900 |
| 210 | ヒノキ | | 4.0 | 24 | 16,100 |
| 211 | ヒノキ | | 4.0 | 26 ~ 28 | 18,100 |
| 212 | ヒノキ | | 2.0 | 38 | 52,000 |
| 213 | ヒノキ | | 4.0 | 20 ~ 22 | 28,830 |
| 214 | ヒノキ | | 4.0 | 26 ~ 28 | 35,830 |
| 215 | ヒノキ | | 4.0 | 24 ~ 28 | 33,000 |
| 216 | ヒノキ | | 4.0 | 34 | 25,830 |
| 217 | ヒノキ | | 4.0 | 30 | 25,830 |
| 218 | ヒノキ | | 4.0 | 20 ~ 22 | 17,000 |
| 219 | ヒノキ | | 4.0 | 24 ~ 28 | 23,830 |
| 220 | ヒノキ | | 3.0 | 26 | 16,100 |
| 221 | ヒノキ | | 3.0 | 34 | 26,200 |
| 222 | ヒノキ | | 3.0 | 36 | 17,100 |
| 223 | ヒノキ | | 3.0 | 30 ~ 34 | 13,000 |
| 224 | ヒノキ | 節 | 3.0 | 24 ~ 28 | 13,100 |
| 225 | ヒノキ | 認証材 | 4.0 | 24 ~ 28 | 17,100 |
| 226 | ヒノキ | | 4.0 | 32 | 25,830 |
| 227 | ヒノキ | 認証傷 | 4.0 | 30 | 12,600 |
| 228 | ヒノキ | 認証材 | 4.0 | 30 | 23,700 |
| 229 | スギ | 認証材 | 4.0 | 24 ~ 28 | 13,000 |
| 230 | スギ | 認証材 | 4.0 | 30 ~ 32 | 14,000 |
| 231 | ヒノキ | | 4.0 | 30 | 25,000 |
| 232 | ヒノキ | | 4.0 | 28 | 20,400 |
| 233 | ヒノキ | | 4.0 | 24 ~ 28 | 30,390 |
| 234 | ヒノキ | | 4.0 | 24 ~ 28 | 18,400 |
| 235 | ヒノキ | | 3.0 | 26 | 14,050 |
| 236 | ヒノキ | | 3.0 | 30 | 12,100 |
| 237 | ヒノキ | | 4.0 | 32 | 30,390 |
| 238 | ヒノキ | | 4.0 | 34 | 25,000 |
| 239 | ヒノキ | | 4.0 | 30 | 30,390 |
| 240 | スギ | | 4.0 | 30 | 16,000 |

| 極No. | 樹種 | 摘要 | 長さ | 径級 | 単価 |
|------|-----|----|-----|---------|--------|
| 241 | スギ | | 4.0 | 24 ~ 28 | 15,000 |
| 242 | スギ | | 4.0 | 36 | 13,000 |
| 243 | ヒノキ | | 4.0 | 40 | 33,330 |
| 244 | ヒノキ | | 4.0 | 32 ~ 36 | 14,000 |
| 245 | スギ | | 4.0 | 34 | 13,880 |
| 246 | スギ | | 4.0 | 34 | 13,880 |
| 247 | スギ | | 4.0 | 26 | 15,000 |
| 248 | ヒノキ | | 4.0 | 24 ~ 28 | 14,200 |
| 249 | スギ | | 4.0 | 36 | 13,000 |
| 250 | スギ | | 4.0 | 36 | 13,000 |
| 251 | スギ | | 4.0 | 38 | 13,600 |
| 252 | スギ | | 4.0 | 36 | 10,000 |
| 253 | スギ | | 4.0 | 42 | 14,000 |
| 254 | スギ | | 6.0 | 24 | 15,000 |
| 255 | ヒノキ | | 6.0 | 24 | 18,000 |
| 256 | ヒノキ | | 6.0 | 26 | 18,000 |
| 257 | ヒノキ | | 6.0 | 28 | 18,000 |
| 258 | スギ | | 6.0 | 42 | 23,600 |
| 259 | スギ | | 6.0 | 38 | 20,380 |
| 260 | スギ | | 4.0 | 24 ~ 28 | 16,800 |
| 261 | スギ | | 4.0 | 32 | 16,000 |
| 262 | ヒノキ | | 3.0 | 30 | 18,100 |
| 263 | ヒノキ | | 4.0 | 34 | 25,000 |
| 264 | ヒノキ | | 4.0 | 34 | 25,000 |
| 265 | ヒノキ | | 4.0 | 30 ~ 32 | 25,000 |
| 266 | ヒノキ | | 4.0 | 30 ~ 32 | 20,000 |
| 267 | スギ | | 4.0 | 34 | 13,880 |
| 268 | スギ | | 4.0 | 28 ~ 30 | 15,000 |
| 269 | スギ | | 4.0 | 24 ~ 28 | 15,000 |
| 270 | ヒノキ | | 4.0 | 24 ~ 28 | 18,000 |
| 271 | ヒノキ | | 4.0 | 24 ~ 28 | 14,100 |
| 272 | ヒノキ | | 4.0 | 24 | 14,000 |
| 273 | スギ | | 4.0 | 36 | 11,800 |
| 274 | スギ | | 4.0 | 36 | 12,620 |
| 275 | スギ | | 4.0 | 36 | 11,800 |
| 276 | スギ | | 4.0 | 34 | 17,620 |
| 277 | スギ | | 4.0 | 34 | 13,620 |
| 278 | スギ | | 4.0 | 30 | 11,800 |
| 279 | スギ | | 4.0 | 30 ~ 32 | 15,000 |
| 280 | スギ | | 4.0 | 28 ~ 30 | 15,000 |
| 281 | スギ | | 4.0 | 28 ~ 32 | 15,000 |
| 282 | スギ | | 4.0 | 22 ~ 28 | 15,000 |
| 283 | ヒノキ | | 6.0 | 24 ~ 26 | 20,330 |
| 284 | ヒノキ | | 6.0 | 24 ~ 26 | 23,600 |
| 285 | スギ | | 4.0 | 32 ~ 34 | 10,000 |
| 286 | スギ | | 5.0 | 24 ~ 30 | 9,000 |
| 287 | スギ | | 5.0 | 32 | 15,000 |
| 288 | スギ | | 5.0 | 34 | 15,000 |
| 289 | スギ | | 5.0 | 32 | 9,000 |
| 290 | スギ | | 5.0 | 28 ~ 30 | 14,000 |
| 291 | スギ | | 5.0 | 20 ~ 22 | 16,000 |
| 292 | スギ | | 5.0 | 24 ~ 28 | 15,000 |
| 293 | スギ | | 5.0 | 24 ~ 28 | 17,000 |
| 294 | ヒノキ | | 4.0 | 20 ~ 22 | 15,090 |
| 295 | ヒノキ | | 4.0 | 20 ~ 22 | 15,300 |
| 296 | ヒノキ | | 3.0 | 18 ~ 22 | 14,390 |
| 297 | ヒノキ | 曲 | 3.0 | 16 ~ 22 | 10,500 |
| 298 | ヒノキ | | 3.0 | 16 | 17,660 |
| 299 | スギ | | 3.0 | 16 ~ 18 | 10,650 |
| 300 | ヒノキ | | 3.0 | 20 ~ 22 | 12,390 |

| 極No. | 樹種 | 摘要 | 長さ | 径級 | 単価 |
|------|-----|-----|-----|---------|--------|
| 301 | ヒノキ | | 4.0 | 14 | 13,000 |
| 302 | ヒノキ | | 4.0 | 20 ~ 22 | 15,190 |
| 303 | ヒノキ | | 4.0 | 18 | 15,090 |
| 304 | ヒノキ | | 4.0 | 18 | 15,090 |
| 305 | ヒノキ | | 4.0 | 18 | 15,090 |
| 306 | ヒノキ | | 4.0 | 16 | 15,790 |
| 307 | ヒノキ | | 4.0 | 14 | 13,000 |
| 308 | ヒノキ | | 4.0 | 20 ~ 22 | 15,050 |
| 309 | ヒノキ | | 3.0 | 14 | 12,390 |
| 310 | ヒノキ | | 4.0 | 16 | 17,750 |
| 311 | ヒノキ | 認証材 | 4.0 | 18 | 15,000 |
| 312 | ヒノキ | 認証材 | 4.0 | 20 ~ 22 | 15,000 |
| 313 | スギ | | 4.0 | 20 ~ 22 | 9,030 |
| 314 | スギ | | 4.0 | 20 ~ 22 | 10,000 |
| 315 | スギ | | 4.0 | 16 ~ 18 | 9,000 |
| 316 | スギ | 認証材 | 4.0 | 16 ~ 18 | 8,190 |
| 317 | スギ | | 4.0 | 16 ~ 18 | 10,850 |
| 318 | スギ | 認証材 | 4.0 | 20 ~ 22 | 9,200 |
| 319 | スギ | | 4.0 | 20 ~ 22 | 11,950 |
| 320 | ヒノキ | | 4.0 | 24 ~ 28 | 14,100 |
| 321 | ヒノキ | | 4.0 | 24 ~ 28 | 14,100 |
| 322 | ヒノキ | | 4.0 | 26 | 14,600 |
| 323 | ヒノキ | | 4.0 | 28 | 30,390 |
| 324 | ヒノキ | | 4.0 | 28 | 30,390 |
| 325 | スギ | | 4.0 | 26 ~ 28 | 15,000 |
| 326 | スギ | | 4.0 | 32 | 15,000 |
| 327 | スギ | 認証材 | 5.0 | 44 | 17,000 |
| 328 | スギ | 認証材 | 5.0 | 34 | 16,000 |
| 329 | スギ | 認証材 | 5.0 | 34 | 15,000 |
| 330 | スギ | 認証材 | 5.0 | 34 | 13,200 |
| 331 | スギ | 認証材 | 5.0 | 38 | 17,750 |
| 332 | スギ | | 3.0 | 38 | 14,000 |
| 333 | スギ | 認証材 | 6.0 | 28 | 13,000 |
| 334 | スギ | 認証材 | 5.0 | 20 ~ 22 | 16,000 |
| 335 | スギ | 認証材 | 5.0 | 30 | 15,620 |
| 336 | スギ | 認証材 | 5.0 | 24 ~ 28 | 15,000 |
| 337 | ヒノキ | | 3.0 | 16 | 17,000 |
| 338 | ヒノキ | | 3.0 | 18 ~ 22 | 15,500 |
| 339 | ヒノキ | 曲 | 3.0 | 16 ~ 20 | 10,000 |
| 340 | ヒノキ | | 3.0 | 14 | 12,390 |
| 341 | スギ | 認証材 | 4.0 | 22 | 11,220 |

| 極No. | 樹種 | 摘要 | 長さ | 径級 | 単価 |
|------|-----|----|-----|---------|--------|
| 1001 | ヒノキ | | 4.0 | 20 ~ 22 | 15,160 |
| 1002 | ヒノキ | | 4.0 | 16 | 17,290 |
| 1003 | ヒノキ | | 4.0 | 18 | 15,190 |
| 1004 | ヒノキ | | 4.0 | 14 | 13,000 |
| 1005 | ヒノキ | | 4.0 | 20 ~ 22 | 15,000 |
| 1006 | ヒノキ | | 4.0 | 18 | 15,290 |
| 1007 | ヒノキ | | 3.0 | 16 | 17,670 |
| 1008 | ヒノキ | | 4.0 | 16 | 17,000 |
| 1009 | ヒノキ | | 3.0 | 18 ~ 22 | 15,500 |
| 1010 | ヒノキ | | 3.0 | 16 | 16,190 |
| 1011 | スギ | | 3.0 | 16 ~ 18 | 10,650 |
| 1012 | ヒノキ | | 4.0 | 14 | 13,000 |
| 1013 | スギ | | 4.0 | 20 ~ 22 | 9,200 |
| 1014 | ヒノキ | | 3.0 | 14 | 12,300 |
| 1015 | スギ | | 4.0 | 16 ~ 18 | 8,790 |
| 1016 | スギ | 曲 | 4.0 | 16 | 5,190 |
| 1017 | ヒノキ | | 3.0 | 14 | 13,220 |
| 1018 | ヒノキ | 曲 | 3.0 | 16 ~ 22 | 10,000 |
| 1019 | スギ | | 4.0 | 46 | 14,500 |
| 1020 | スギ | | 4.0 | 40 | 9,000 |
| 1021 | スギ | | 4.0 | 34 | 14,880 |
| 1022 | スギ | | 4.0 | 36 | 14,880 |
| 1023 | スギ | | 4.0 | 30 ~ 32 | 14,880 |
| 1024 | ヒノキ | | 4.0 | 26 ~ 28 | 30,390 |
| 1025 | ヒノキ | | 4.0 | 26 ~ 28 | 20,000 |
| 1026 | ヒノキ | 小曲 | 4.0 | 24 ~ 28 | 15,290 |
| 1027 | ヒノキ | | 4.0 | 32 | 20,000 |
| 1028 | ヒノキ | | 4.0 | 34 | 25,000 |
| 1029 | ヒノキ | | 4.0 | 30 | 38,800 |
| 1030 | ヒノキ | | 4.0 | 24 | 45,390 |
| 1031 | ヒノキ | | 4.0 | 16 ~ 18 | 23,300 |
| 1032 | ヒノキ | | 4.0 | 20 ~ 22 | 30,800 |
| 1033 | ヒノキ | | 4.0 | 24 | 30,390 |
| 1034 | ヒノキ | | 4.0 | 24 ~ 26 | 20,000 |
| 1035 | ヒノキ | | 4.0 | 24 ~ 26 | 18,100 |
| 1036 | スギ | | 4.0 | 28 | 15,000 |
| 1037 | スギ | | 4.0 | 32 | 12,800 |
| 1038 | スギ | | 4.0 | 34 | 13,100 |
| 1039 | スギ | コブ | 4.0 | 36 | 8,000 |
| 1040 | スギ | | 4.0 | 40 | 9,000 |
| 1041 | スギ | | 4.0 | 26 ~ 28 | 10,000 |
| 1042 | スギ | | 4.0 | 36 | 10,000 |
| 1043 | スギ | | 4.0 | 30 ~ 32 | 10,000 |
| 1044 | スギ | | 4.0 | 24 ~ 26 | 14,800 |
| 1045 | ヒノキ | | 4.0 | 22 ~ 28 | 14,300 |
| 1046 | スギ | 曲 | 4.0 | 13 ~ 14 | 5,200 |
| 1047 | スギ | | 4.0 | 22 ~ 28 | 12,320 |
| 1048 | スギ | | 4.0 | 30 ~ 32 | 15,800 |
| 1049 | ヒノキ | | 3.0 | 18 ~ 22 | 15,250 |
| 1050 | スギ | | 4.0 | 16 ~ 18 | 10,790 |
| 1051 | スギ | | 4.0 | 20 ~ 22 | 11,870 |
| 1052 | ヒノキ | 節 | 4.0 | 16 ~ 22 | 12,900 |
| 1053 | ヒノキ | | 4.0 | 24 | 14,000 |
| 1054 | ヒノキ | | 4.0 | 30 ~ 32 | 18,900 |
| 1055 | ヒノキ | | 4.0 | 24 ~ 28 | 14,100 |
| 1056 | ヒノキ | | 4.0 | 30 | 30,390 |
| 1057 | ヒノキ | | 4.0 | 24 | 35,390 |
| 1058 | ヒノキ | | 4.0 | 26 | 30,390 |
| 1059 | ヒノキ | | 4.0 | 30 | 25,000 |
| 1060 | ヒノキ | | 4.0 | 30 | 18,000 |

| 桧No. | 樹種 | 摘要 | 長さ | 径級 | 単価 |
|------|-----|----|-----|---------|--------|
| 1061 | ヒノキ | | 3.0 | 30 ~ 32 | 14,390 |
| 1062 | ヒノキ | | 3.0 | 32 | 11,390 |
| 1063 | スギ | | 4.0 | 34 ~ 36 | 11,800 |
| 1064 | スギ | | 4.0 | 38 | 9,000 |
| 1065 | スギ | | 4.0 | 40 | 9,000 |
| 1066 | スギ | | 6.0 | 28 | 9,000 |
| 1067 | スギ | | 6.0 | 26 | 13,000 |
| 1068 | スギ | | 6.0 | 32 | 9,000 |
| 1069 | スギ | | 5.0 | 26 | 9,000 |
| 1070 | スギ | | 5.0 | 28 | 13,220 |
| 1071 | スギ | | 5.0 | 24 | 9,000 |
| 1072 | スギ | | 5.0 | 24 | 13,000 |
| 1073 | スギ | | 5.0 | 24 | 13,000 |
| 1074 | ヒノキ | | 4.0 | 24 ~ 26 | 14,300 |
| 1075 | スギ | | 4.0 | 24 ~ 28 | 13,980 |
| 1076 | スギ | | 4.0 | 24 ~ 28 | 14,010 |
| 1077 | スギ | | 4.0 | 26 ~ 28 | 14,010 |
| 1078 | スギ | | 4.0 | 32 | 13,980 |
| 1079 | スギ | | 4.0 | 34 | 14,320 |
| 1080 | スギ | | 3.0 | 36 | 14,000 |
| 1081 | スギ | | 4.0 | 38 | 13,600 |
| 1082 | スギ | | 4.0 | 34 | 12,200 |
| 1083 | スギ | | 4.0 | 32 | 16,000 |
| 1084 | スギ | | 4.0 | 30 ~ 32 | 15,000 |
| 1085 | スギ | | 4.0 | 14 | 9,860 |