

静岡事業所		2483回市	平成29年1月26日		
極No.	樹種	摘要	長さ	径級	単価
1	ヒノキ		4.0	34	60,100
2	ヒノキ		4.0	34	48,000
3	ヒノキ		4.0	28	52,000
4	ヒノキ		4.0	22 ~ 24	45,830
5	ヒノキ		4.0	30	45,830
6	ヒノキ		4.0	30	45,830
7	ヒノキ		4.0	30	45,830
8	ヒノキ		4.0	32	40,830
9	ヒノキ		4.0	30	45,830
10	ヒノキ		4.0	26 ~ 28	31,000
11	ヒノキ		4.0	20 ~ 22	25,390
12	ヒノキ		4.0	20 ~ 22	35,000
13	ヒノキ		4.0	24	46,000
14	ヒノキ		4.0	26	52,000
15	ヒノキ		4.0	28	52,000
16	ヒノキ	認証材	4.0	36	41,300
17	ヒノキ		4.0	38	60,600
18	ヒノキ		4.0	36	53,100
19	ヒノキ		4.0	38	48,800
20	ヒノキ		3.0	22 ~ 26	35,200
21	ヒノキ		3.0	20 ~ 22	32,600
22	ヒノキ		4.0	22 ~ 26	35,390
23	ヒノキ		4.0	30	35,390
24	ヒノキ		4.0	44	37,800
25	ヒノキ		4.0	38	21,300
26	ヒノキ		4.0	40	47,800
27	ヒノキ		4.0	36	50,900
28	ヒノキ		4.0	36	31,000
29	ヒノキ		4.0	36	38,000
30	ヒノキ		4.0	36	32,300
31	ヒノキ		4.0	38	31,800
32	ヒノキ		4.0	34	25,600
33	ヒノキ		4.0	36	28,400
34	ヒノキ		4.0	34	21,100
35	ヒノキ		4.0	34	29,600
36	ヒノキ		4.0	36	54,000
37	ヒノキ		4.0	32	45,830
38	ヒノキ		4.0	34	48,000
39	スギ		4.0	46	10,000
40	スギ	認証材	4.0	44	11,300
41	スギ		4.0	36	13,000
42	スギ	認証材	4.0	36	15,610
43	スギ	認証材	4.0	34	18,600
44	スギ	認証材	4.0	48	21,300
45	スギ	認証材	4.0	54	13,600
46	スギ		4.0	36	18,200
47	スギ		4.0	34	18,600
48	スギ		4.0	40	18,600
49	スギ		4.0	38	18,500
50	スギ		4.0	38	18,600
51	スギ		4.0	38	18,600
52	スギ		4.0	40	20,600
53	スギ		4.0	38	10,000
54	スギ		4.0	40	20,600
55	スギ		4.0	40	20,600
56	スギ		4.0	42	20,600
57	スギ		4.0	32	17,000
58	スギ		4.0	34	15,610
59	スギ		4.0	34	20,300
60	スギ		4.0	38	23,600

極No.	樹種	摘要	長さ	径級	単価
61	スギ		4.0	42	20,600
62	スギ		4.0	34	11,300
63	スギ		4.0	38	12,000
64	スギ		4.0	50	26,600
65	スギ	認証材	4.0	42	11,300
66	スギ	認証材	4.0	46	14,000
67	ヒノキ		4.0	24	25,100
68	ヒノキ		4.0	24 ~ 26	28,200
69	ヒノキ		4.0	26 ~ 28	30,300
70	ヒノキ		4.0	26 ~ 28	25,500
71	ヒノキ		4.0	34 ~ 38	21,400
72	ヒノキ		4.0	28	22,600
73	ヒノキ		4.0	28 ~ 30	24,100
74	ヒノキ		4.0	30 ~ 32	29,000
75	ヒノキ		4.0	22	17,500
76	ヒノキ		4.0	28 ~ 32	28,000
77	ヒノキ		4.0	22 ~ 28	17,390
78	ヒノキ		2.0	40	30,000
79	ヒノキ		2.0	40	30,000
80	ヒノキ		4.0	34	33,000
81	ヒノキ		4.0	34	21,100
82	ヒノキ		4.0	34	28,000
83	ヒノキ		4.0	34	25,000
84	ヒノキ		4.0	34	28,000
85	ヒノキ		4.0	34	30,000
86	ヒノキ		4.0	34	28,000
87	ヒノキ		4.0	34	25,000
88	スギ	F-net	4.0	40	10,000
89	スギ	F-net	4.0	42	11,300
90	スギ	F-net	4.0	38	10,000
91	スギ	F-net	4.0	38	10,000
92	スギ	F-net	4.0	44	10,120
93	スギ		4.0	40	11,300
94	スギ		4.0	36	11,300
95	スギ		4.0	34	11,300
96	スギ		4.0	38	11,300
97	スギ		4.0	42	13,200
98	スギ		4.0	34	11,300
99	スギ	認証材	4.0	44	10,000
100	スギ	認証材	4.0	40	10,000
101	スギ	認証材	4.0	38	10,000
102	ヒノキ	認証材	4.0	34	23,400
103	ヒノキ		4.0	30 ~ 32	19,000
104	ヒノキ		4.0	28 ~ 30	23,400
105	ヒノキ		4.0	28 ~ 32	16,300
106	スギ	認証材	4.0	56	41,600
107	スギ	認証材	4.0	50	28,600
108	スギ	認証材	4.0	48	30,300
109	スギ	認証材	4.0	48	36,600
110	スギ	認証材	4.0	44	19,200
111	スギ	認証材	4.0	48	11,100
112	スギ	認証材	4.0	46	31,600
113	スギ	認証材	4.0	38	10,000
114	スギ	認証材	4.0	32	14,000
115	スギ	認証材	4.0	40	16,220
116	スギ	認証材	4.0	36	17,800
117	スギ	認証材	4.0	36	17,800
118	スギ		1.8	62	8,000
119	スギ		5.0	30	16,300
120	スギ	認証材	5.0	34	16,300

極No.	樹種	摘要	長さ	径級	単価
121	スギ		5.0	32	16,300
122	ヒノキ		6.0	20	29,300
123	ヒノキ		6.0	16 ~ 18	30,100
124	ヒノキ		6.0	26	29,300
125	ヒノキ		6.0	30	30,000
126	ヒノキ		6.0	32	29,300
127	ヒノキ		6.0	30	29,300
128	ヒノキ	認証材	6.0	36	35,500
129	ヒノキ	認証材	6.0	28	25,600
130	スギ		5.0	32	16,300
131	スギ	認証材	5.0	30	16,300
132	スギ	認証材	5.0	40	17,300
133	スギ	認証材	5.0	44	15,620
134	スギ		6.0	38	12,120
135	スギ		6.0	42	19,600
136	スギ		6.0	46	18,600
137	スギ	認証材	4.0	52	28,600
138	ヒノキ		4.0	36	25,000
139	ヒノキ		4.0	32	25,000
140	ヒノキ		4.0	32	28,300
141	ヒノキ		4.0	32	25,000
142	ヒノキ		4.0	32	26,000
143	ヒノキ		4.0	30	23,100
144	ヒノキ		4.0	26 ~ 28	23,400
145	ヒノキ		4.0	24 ~ 28	16,800
146	ヒノキ		4.0	20 ~ 22	15,100
147	ヒノキ		4.0	24 ~ 28	16,000
148	ヒノキ		4.0	30	19,600
149	ヒノキ	認証材	4.0	26 ~ 28	19,100
150	ヒノキ		4.0	24 ~ 28	25,330
151	ヒノキ	認証材	4.0	30	26,000
152	ヒノキ	認証材	4.0	26	23,400
153	ヒノキ		4.0	34	21,000
154	ヒノキ		4.0	34	25,300
155	ヒノキ		4.0	32	31,600
156	ヒノキ		4.0	34	31,600
157	ヒノキ		4.0	34	28,000
158	ヒノキ		4.0	34	33,100
159	ヒノキ		4.0	34	31,000
160	ヒノキ		4.0	34	32,100
161	モミ		2.0	50	7,200
162	モミ		4.0	40	9,000
163	スギ		4.0	46	11,300
164	スギ		4.0	42	11,300
165	スギ	認証材	4.0	34 ~ 36	14,000
166	スギ	認証材	4.0	38 ~ 40	11,300
167	スギ	認証材	3.9 ~ 4.0	32 ~ 38	11,300
168	スギ	認証材	4.0	30 ~ 32	13,000
169	スギ	認証材	4.0	22 ~ 28	12,000
170	ヒノキ		4.0	22 ~ 28	15,590
171	ヒノキ		4.0	28 ~ 32	14,000
172	ヒノキ		4.0	30 ~ 32	22,100
173	ヒノキ		4.0	22 ~ 28	15,590
174	ヒノキ		4.0	24 ~ 28	14,590
175	ヒノキ		4.0	24 ~ 28	15,590
176	ヒノキ	認証材	4.0	22 ~ 28	14,200
177	ヒノキ		4.0	24 ~ 28	14,000
178	ヒノキ		4.0	30 ~ 32	19,300
179	ヒノキ	認証材	4.0	30 ~ 32	19,300
180	ヒノキ	認証材	4.0	32	19,600

極No.	樹種	摘要	長さ	径級	単価
181	ヒノキ		3.0	26	17,200
182	ヒノキ		3.0	26	14,000
183	ヒノキ		3.0	24	16,300
184	ヒノキ		4.0	26 ~ 28	30,830
185	ヒノキ		4.0	18 ~ 22	25,830
186	ヒノキ		4.0	30	30,830
187	ヒノキ		4.0	24 ~ 28	26,800
188	ヒノキ		4.0	24 ~ 28	36,000
189	ヒノキ		4.0	22 ~ 28	15,190
190	ヒノキ		4.0	30 ~ 32	15,000
191	ヒノキ		4.0	28	50,830
192	ヒノキ		4.0	26	45,830
193	ヒノキ		4.0	20 ~ 22	25,830
194	ヒノキ		4.0	30	40,830
195	ヒノキ		4.0	32	40,830
196	ヒノキ		4.0	32	43,830
197	ヒノキ		4.0	32	14,600
198	ヒノキ		4.0	38	14,000
199	ヒノキ		4.0	34	15,000
200	ヒノキ		4.0	30	19,600
201	ヒノキ		4.0	14	15,250
202	ヒノキ		4.0	34	15,000
203	スギ		4.0	34	14,000
204	スギ		4.0	30 ~ 32	14,000
205	スギ		4.0	30 ~ 32	13,000
206	スギ		4.0	34 ~ 36	13,220
207	ヒノキ		4.0	22 ~ 28	15,190
208	ヒノキ		4.0	22 ~ 28	15,190
209	ヒノキ		4.0	30	14,000
210	ヒノキ		4.0	24 ~ 28	17,600
211	ヒノキ		4.0	24	18,600
212	ヒノキ		3.0	34	25,600
213	ヒノキ		4.0	32	15,000
214	ヒノキ		4.0	22 ~ 28	14,200
215	スギ		4.0	24 ~ 28	14,200
216	ヒノキ		4.0	22 ~ 28	15,190
217	ヒノキ		3.0	22 ~ 28	14,600
218	ヒノキ		3.0	22 ~ 28	14,300
219	ヒノキ		4.0	22 ~ 28	15,590
220	ヒノキ		4.0	32	25,100
221	ヒノキ		4.0	32	26,100
222	ヒノキ		4.0	32	24,100
223	ヒノキ		4.0	38	27,100
224	ヒノキ		4.0	36	23,100
225	ヒノキ		4.0	34	43,000
226	ヒノキ		4.0	34	24,600
227	スギ		4.0	44	11,300
228	スギ		4.0	44	11,300
229	スギ		4.0	42	11,300
230	スギ		4.0	40	13,200
231	スギ		4.0	38	10,000
232	スギ		4.0	42	11,300
233	スギ		4.0	36	12,000
234	スギ		4.0	34	16,300
235	スギ		4.0	34	10,000
236	スギ		4.0	34	11,300
237	ヒノキ	認証材	7.0	22	29,000
238	ヒノキ		4.0	30	25,250
239	ヒノキ		4.0	28	25,440
240	ヒノキ		4.0	26 ~ 28	25,520

極No.	樹種	摘要	長さ	径級	単価
241	ヒノキ		4.0	32	26,100
242	ヒノキ		4.0	20 ~ 22	16,600
243	ヒノキ		4.0	22 ~ 24	18,240
244	ヒノキ		4.0	36	18,000
245	ヒノキ		4.0	30 ~ 32	18,000
246	ヒノキ		4.0	32	17,100
247	ヒノキ		4.0	34	15,000
248	ヒノキ		4.0	36	22,500
249	ヒノキ		4.0	34	15,000
250	ヒノキ		4.0	36	14,000
251	ヒノキ		4.0	34	22,500
252	スギ		3.0	34	12,000
253	ヒノキ		4.0	18	16,590
254	ヒノキ		4.0	16	18,550
255	ヒノキ		3.0	18 ~ 22	14,880
256	ヒノキ		3.0	18 ~ 22	18,900
257	ヒノキ	曲	3.0	16 ~ 22	13,000
258	ヒノキ		3.0	14	14,330
259	ヒノキ		3.0	14	14,330
260	ヒノキ		3.0	16	18,590
261	ヒノキ		4.0	14	15,300
262	ヒノキ		4.0	14	15,750
263	ヒノキ		4.0	14	15,250
264	ヒノキ		4.0	20 ~ 22	16,590
265	ヒノキ		4.0	20 ~ 22	16,590
266	ヒノキ		4.0	20 ~ 22	16,590
267	ヒノキ		2.0	34	25,000
268	ヒノキ		2.0	34	25,000
269	ヒノキ		2.0	34	25,000
270	ヒノキ		2.0	34	25,000
271	ヒノキ		2.0	34	25,000
272	ヒノキ		2.0	34	25,000
273	ヒノキ	F-net	4.0	40	20,000
274	ヒノキ	F-net	4.0	36	18,000
275	ヒノキ	F-net	4.0	32	15,000
276	スギ	F-net	4.0	38	10,000
277	スギ	F-net	4.0	40	10,000
278	スギ	F-net	4.0	34	17,500
279	スギ	F-net	4.0	34	9,000
280	スギ		4.0	34	17,500
281	スギ		4.0	38	10,000
282	雑		4.0	18	4,000
283	雑		4.0	14	4,000
284	雑		4.0	10	4,000
285	ヒノキ		4.0	28	14,400
286	ヒノキ		4.0	32	16,000
287	ヒノキ		4.0	24 ~ 28	16,100
288	ヒノキ		4.0	34	16,000
289	ヒノキ		4.0	30 ~ 32	19,100
290	ヒノキ		4.0	22 ~ 28	15,000
291	ヒノキ		4.0	28 ~ 32	16,000
292	ヒノキ		4.0	34	16,000
293	ヒノキ		4.0	32	17,000
294	ヒノキ		4.0	24 ~ 26	21,400
295	ヒノキ	認証材	4.0	32	15,000
296	ヒノキ	認証材	4.0	32	16,000
297	ヒノキ	認証材	4.0	24 ~ 26	21,400
298	ヒノキ	認証材	4.0	30	14,000
299	ヒノキ	認証材	4.0	24 ~ 28	15,000
300	ヒノキ		3.0	24 ~ 28	14,000

極No.	樹種	摘要	長さ	径級	単価
301	ヒノキ		4.0	32	14,000
302	ヒノキ	小曲	4.0	32	13,000
303	ヒノキ		4.0	24	14,000
304	ヒノキ		4.0	30	14,000
305	ヒノキ		4.0	22 ~ 26	14,300
306	ヒノキ		4.0	24 ~ 28	14,200
307	ヒノキ		4.0	24 ~ 28	14,000
308	ヒノキ	認証材	4.0	30 ~ 32	21,300
309	ヒノキ	認証材	4.0	24 ~ 28	14,200
310	スギ		3.0	30	10,000
311	ヒノキ		3.0	24 ~ 28	13,600
312	スギ	F-net	4.0	40	11,300
313	スギ	F-net	4.0	34	17,800
314	スギ	F-net	4.0	34	17,800
315	スギ	F-net	4.0	34	18,300
316	スギ		4.0	34	10,000
317	スギ		4.0	34	11,300
318	スギ		4.0	34	11,300
319	スギ		4.0	32	13,000
320	スギ		4.0	34	19,800
321	スギ		4.0	38	19,300
322	スギ		4.0	34	17,600
323	スギ		4.0	36	19,300
324	スギ		4.0	36	19,300
325	スギ		4.0	32	19,610
326	スギ		4.0	30	17,400
327	スギ		4.0	28	17,600
328	スギ	認証材	4.0	48	11,300
329	スギ	認証材	4.0	42	11,300
330	スギ	小曲	4.0	30	8,000
331	スギ	認証材	3.0	38	14,600
332	スギ	認証材	3.0	38	14,600
333	スギ	認証材	3.0	44	14,600
334	スギ	認証材	4.0	40	12,220
335	スギ	認証材	4.0	36	11,300
336	スギ	認証材	4.0	34	10,000
337	スギ	認証材	4.0	30 ~ 32	16,610
338	スギ	認証材	4.0	26 ~ 28	15,000
339	ヒノキ	認証材	4.0	24 ~ 26	14,000
340	ヒノキ	認証材	4.0	30	17,600
341	ヒノキ	認証材	4.0	34	28,800
342	ヒノキ		3.0	24	13,200
343	ヒノキ		4.0	32	14,000
344	ヒノキ		4.0	22 ~ 28	14,200
345	スギ		4.0	34	16,800
346	スギ		4.0	30 ~ 32	8,000
347	スギ		4.0	24 ~ 26	14,950
348	スギ		4.0	24 ~ 28	15,200
349	スギ		4.0	24 ~ 28	15,200
350	ヒノキ		3.0	18 ~ 22	14,140

極No.	樹種	摘要	長さ	径級	単価
1001	ヒノキ		4.0	20 ~ 22	16,590
1002	ヒノキ		4.0	18	16,590
1003	ヒノキ		4.0	16	17,590
1004	ヒノキ		4.0	14	15,590
1005	ヒノキ		3.0	14	14,220
1006	ヒノキ		3.0	16	18,190
1007	ヒノキ		4.0	20 ~ 22	16,250
1008	ヒノキ		4.0	18	16,250
1009	ヒノキ		3.0	18 ~ 22	16,850
1010	スギ		4.0	14	11,000
1011	ヒノキ		3.0	16	18,550
1012	ヒノキ	曲	3.0	16 ~ 22	14,300
1013	スギ		4.0	12 ~ 13	7,000
1014	ヒノキ		4.0	16	18,250
1015	スギ		4.0	16 ~ 18	10,620
1016	ヒノキ		3.0	14	16,500
1017	ヒノキ		3.0	18 ~ 22	14,330
1018	ヒノキ		3.0	26	28,800
1019	ヒノキ		3.0	16	24,600
1020	ヒノキ		3.0	18	23,600
1021	ヒノキ		3.0	20	23,800
1022	ヒノキ		4.0	22 ~ 28	30,600
1023	ヒノキ		4.0	22 ~ 28	25,800
1024	ヒノキ		4.0	20 ~ 22	17,600
1025	ヒノキ		4.0	20 ~ 22	16,100
1026	ヒノキ		4.0	20 ~ 22	18,600
1027	ヒノキ		4.0	28	29,600
1028	スギ		4.0	38	10,000
1029	スギ		4.0	34	12,200
1030	スギ		4.0	34	9,000
1031	スギ		4.0	30 ~ 32	13,000
1032	ヒノキ		4.0	22 ~ 28	14,000
1033	スギ		4.0	24 ~ 28	14,200
1034	スギ		4.0	22 ~ 28	14,200
1035	スギ		4.0	34	13,200
1036	スギ		4.0	36	8,000
1037	スギ		4.0	30	10,000
1038	ヒノキ		4.0	34	14,000
1039	ヒノキ		4.0	28 ~ 32	14,000
1040	ヒノキ		4.0	22 ~ 26	14,300
1041	ヒノキ		4.0	22 ~ 28	14,000
1042	ヒノキ		4.0	30 ~ 32	17,300
1043	ヒノキ		4.0	34	14,000
1044	ヒノキ		4.0	32	18,300
1045	スギ		4.0	24 ~ 28	13,000
1046	スギ		4.0	30 ~ 32	14,000
1047	スギ		4.0	36	13,000
1048	スギ		4.0	40	11,300
1049	スギ		4.0	40	11,300
1050	スギ		4.0	42	11,300
1051	スギ		4.0	34	11,300
1052	スギ		4.0	38	11,300
1053	スギ		4.0	34 ~ 36	15,800
1054	スギ		4.0	34	15,600
1055	スギ		4.0	30 ~ 32	15,200
1056	スギ		4.0	24 ~ 28	14,200
1057	スギ		4.0	36	15,000
1058	スギ		4.0	38	15,000
1059	スギ		4.0	34	9,000
1060	スギ		4.0	30	14,000

極No.	樹種	摘要	長さ	径級	単価
1061	スギ		4.0	30 ~ 32	13,000
1062	スギ		4.0	26 ~ 28	15,200
1063	スギ		4.0	24 ~ 26	15,200
1064	ヒノキ		4.0	30 ~ 32	11,000
1065	ヒノキ		4.0	24 ~ 28	18,600
1066	ヒノキ		4.0	24 ~ 28	16,800
1067	スギ		4.0	24 ~ 28	14,400
1068	スギ		4.0	22 ~ 24	14,950
1069	ヒノキ		4.0	24 ~ 28	19,600
1070	ヒノキ		4.0	26	17,100
1071	ヒノキ		3.0	28	14,050
1072	ヒノキ		4.0	32	16,100
1073	ヒノキ		4.0	36	34,000
1074	スギ	認証材	4.0	12 ~ 13	7,000
1075	ヒノキ		3.0	30	13,050
1076	ヒノキ		3.0	24 ~ 28	14,300
1077	スギ		4.0	38	10,000
1078	スギ		4.0	32	9,000
1079	ヒノキ		4.0	24 ~ 26	14,350
1080	スギ		3.0	32	12,000
1081	スギ		3.0	40	10,000